

# TECHNICAL SPECIFICATIONS

## 2024 KTM RC 390

### ENGINE

Design	1-CYLINDER, 4-STROKE ENGINE
Displacement	373 CM <sup>3</sup>
Torque	37 NM
Transmission	6-SPEED
CO <sub>2</sub> emissions	81 G/KM
Cooling	LIQUID COOLED
Engine cylinder	SINGLE CYLINDER
EMS	BOSCH EMS WITH RBW
Drive type	COMBUSTION
Silencer	STAINLESS STEEL PRIMARY AND ALUMINIUM SECONDARY SILENCER

## CHASSIS

Front brake disc diameter	320 MM
Rear brake disc diameter	230 MM
Front brake	FOUR-PISTON RADIAL FIXED CALLIPER, BRAKE DISC
Rear brake	SINGLE-PISTON FLOATING CALLIPER, BRAKE DISC
Chain	520 X-RING
Frame design	STEEL TRELLIS FRAME, POWDER COATED
Steering head angle	66.5 °
Rear subframe design	STEEL TRELLIS FRAME, POWDER COATED
Trail	84 MM
Wheelbase	1343 MM

## SUSPENSION

Front suspension	WP APEX-USD, Ø 43 MM
Rear suspension	WP APEX - MONOSHOCK
Suspension travel (front)	120 MM
Suspension travel (rear)	150 MM

## DIMENSIONS

Seat height	<b>824 MM</b>
-------------	---------------

Tank capacity (approx.)	<b>13.7 L</b>
-------------------------	---------------

Ground clearance	<b>158 MM</b>
------------------	---------------

Weight (without fuel)	<b>158 KG</b>
-----------------------	---------------

Wheels	<b>CAST ALUMINIUM WHEELS</b>
--------	------------------------------